## Amendments to the Claims

This listing of claims replaces all prior versions, and listings, of claims in the application.

## Listing of claims:

- 1. (Original) A sealing material for liquid crystals comprising: (A) as a curing resin a mixture of (a) an epoxy group-containing curing resin and (b) a (meth)acryloyl group-containing curing resin, or (c) a curing resin containing an epoxy group and a (meth)acryloyl group; (B) a radical-forming photopolymerization initiator; (C) an isophthalic acid dihydrazide having an average particle diameter of 3µm or smaller; and (D) a filler having an average particle diameter of 3µm or smaller.
- 2. (Original) The sealing material for liquid crystals according to claim 1, wherein (b) (meth)acryloyl group-containing curing resin is (meth)acrylate of diffunctional or more epoxy resin.
- 3. (Original) The sealing material for liquid crystals according to claim 1, wherein (c) curing resin containing an epoxy group and a (meth)acryloyl group is a partial (meth)acrylate of difunctional or more epoxy resin.
- 4. (Original) The sealing material for liquid crystals according to claim 3, wherein the partial (meth)acrylate of difunctional or

more epoxy resin is obtained by subjecting a difunctional or more epoxy resin to an esterification reaction with a (meth)acrylic acid of 20 to 80% equivalent of the epoxy group.

- 5. (Original) The sealing material for liquid crystals according to any one of claims 2 to 4, wherein the diffunctional or more epoxy resin is a bisphenol-type epoxy resin.
- 6. (Original) The sealing material for liquid crystals according to claim 5, wherein the bisphenol-type epoxy resin is a bisphenol A-type epoxy resin.
- 7. (Currently amended) The sealing material for liquid crystals according to any one of claims 1 to  $\frac{4}{9}$ , wherein (B) radical-forming photopolymerization initiator is a carbazole-based initiator.
- 8. (Currently amended) The sealing material for liquid crystals according to any one of claims 1 to  $\frac{4}{9}$ , wherein (B) radical-forming photopolymerization initiator is an acridine-based initiator.
- 9. (Currently amended) The sealing material for liquid crystals according to any one of claims 1 to  $\theta$   $\underline{4}$ , wherein (D) filler having an average particle diameter of 3 $\mu$ m or smaller is an inorganic filler, and a content of the inorganic filler is in a

range from 5 to 40% by weight in the sealing material for liquid crystals.

- 10. (Currently amended) The sealing material for liquid crystals according to anyone of claims 1 to  $\frac{9}{4}$ , further comprising (E) a silane coupling agent.
- 11. (Original) The sealing material for liquid crystals according to claim 10, wherein (E) silane coupling agent contains an amino group.
- 12. (Currently amended) The sealing material for liquid crystals according to any one of claims 1 to  $\frac{11}{4}$ , further comprising (F) a core-shell structural cross-linking rubber.
- 13. (Cancelled)
- 14. (Cancelled)